Introduction to Storm Surge



Robbie Berg and John Cangialosi - Hurricane Specialist
Jamie Rhome - Storm Surge Team Lead

Hurricane Katrina (2005) – Mississippi

1200 deaths, $108 billion damage

Hurricane Sandy (2012) – Northeast U.S.

73 deaths, $65 billion damage

Hurricane Ike (2008) - Bolivar Peninsula, Texas

20 deaths, $29.5 billion

Unit Outline

- Introduction to Storm Surge
  - Who is vulnerable?
  - What is Storm Surge?
  - Factors affecting Storm Surge

Hurricane Ike Inundation Depth



Dying Vegetation due to Salt Water Intrusion

The brown region along the coast indicates dying vegetation due to Salt Water burn. The brown area in the Gulf of Mexico indicates a high concentration of sediment that was taken from the coastal areas when the surge waters flowed back into the gulf. Imagery courtesy of NASA. Map made by Donovan Landreneau and Jonathan Brazzell NWS Lake Charles

House of David and Kimberly King
Waveland, Mississippi

Vulnerability

THE SIEGE OF MIAMI

As temperatures climb, so, too, will sea levels.

BY ELIZABETH KOLBERT

The city of Miami Beach floods on such a predictable basis that if, out of curiosity or sheer perversity, a person wants to she can plan a visit to coincide with an inundation. Knowing the tides would be high around the time of the "super blood moon," in late September, I arranged to meet up with Hal Wanless, the chairman of the University of Miami's geological-sciences department. Wanless, who is seventy-three, has spent nearly half a century studying how South Florida came into being. From this, he's concluded that

In the Miami area, the daily high-water mark has been rising almost an inch a year.

- Coastal areas are at increasing risk from sea-level rise and storm surge
  - Sea-level rise and storm surge place many U.S. coastal areas at increasing risk of erosion and flooding. Energy and transportation infrastructure and other property in coastal areas are very likely to be adversely affected (Global Climate Change Impacts in the U.S. 2009)
- Rising sea-level provides a higher "base" for future surge/inundation events thus producing an increasing threat to:
  - Coastal communities
  - Ecosystems (wetlands, critical species, habitat loss, etc)
  - Transportation systems (highway systems, ports, rail)
  - Economic viability (tourism, transport of goods, natural resources)
  - Energy

Storm Surge Vulnerability: Category 4 Hurricane



Data Source:
NWS/NHC/Storm Surge Unit

FOR EDUCATIONAL PURPOSES ONLY
NOT TO BE USED TO MAKE LIFE OR DEATH DECISIONS

N
W E
S
0 25 50 100 150 200
Miles

Gulf Coast

Biloxi, Mississippi
Katrina (2005)

Key West, Florida
Georges (1998)

Laffite, Louisiana
Rita (2005)

Galveston, Texas
Ike (2008)

Southeast

Rodanthe, North Carolina
Isabel (2003)

Pawley's Island, South Carolina
Hugo (1989)

Jacksonville, Florida
Fay (2008)

North Hutchinson Island, Florida
(Jeanne 2004)

Mid-Atlantic



Baltimore, Maryland
Isabel (2003)

Hampton, Virginia
Isabel (2003)

Mantoloking, New Jersey
Sandy (2012)

Staten Island, New York
(Sandy 2012)

New England

Narragansett Bay, Rhode Island
Carol (1954)

Westport, Massachusetts
Irene (2011)



Providence, Rhode Island
1938 Hurricane

East Haven, Connecticut
Sandy (2012)

Storm Surge from Hurricane Irene

Rumley Marsh on the Pamlico River in North Carolina

Low Water from Hurricane Irene

Pamlico Sound at Cape Hatteras, NC



Storm Surge from Tropical Storm Debby

Bayshore Blvd., Tampa, FL



Storm Surge from Hurricane Sandy

Alphabet City (East Village), Manhattan, NY

Hurricane Ike – Bolivar peninsula, TX

Courtesy of:
Mark Sudduth
Hurricanetrack.com

Total Water



Total water level = Storm surge + Tides +
Wave setup + Freshwater

What are Storm Surge and Storm Tide?

STORM SURGE is an abnormal rise of water generated by a storm, over and above the predicted astronomical tide.

STORM TIDE is the water level rise during a storm due to the combination of storm surge and the astronomical tide



What about Waves?

- Breaking waves also contribute to the total water level through wave runup/setup



Wave Runup

Wave run-up at South Beach, Pacific Rim National Park Reserve, Vancouver Island

navbar placeholder

Wave Runup and Setup



Galveston
Day before Ike arrived



Freshwater Input

- River input, esp. into bays and sounds
  - Mississippi River discharges 200,000 – 700,000 cubic feet per second
- Rainfall

No More Surge in the Saffir-Simpson Scale!

(it fits like a square peg in a round hole)



KATRINA (3)

IKE (2)

SANDY (1)

ISAAC (1)

CHARLEY (4)

No Such Thing as "Just a Tropical Storm"

Louisiana State Rd. 23 near Myrtle Grove
Tropical Storm Lee (2011)

Deep Water



a. Top view of Sea Surface



b. Side view of Cross Section "ABC"

From Deep Water to Shallow Water



Understanding Surge



Factors Affecting Storm Surge

- **Central Pressure**
- **Intensity (wind speed)**
- **Forward Speed**
- **Size**
  - **Radius of Maximum Winds (RMW)**
- **Angle of Approach**
- **Width and Slope of Shelf**
- **Local features** – concavity of coastlines, bays, rivers, headlands, or islands

Effects of Low Pressure



Intensity (Wind Speed)

15 mph stronger



Forward Speed



Slow Speed (5 mph)

- More inland penetration



Fast Speed (25 mph)

- Higher maximum

Rego, J. L., and C. Li (2009). Forward speed of a hurricane. *Geophysical Research Letters*, 36.

Size
(Radius of Max Winds)



Size
(Radius of Max Winds)



Angle of Approach

NNW Motion



Width and Slope of Shelf

Wide shelf/ gentle slope



Narrow shelf/ sharp slope

Local Features