



#### **Tropical Waves**







John Cangialosi and Andrew Levine National Hurricane Center

WMO Region IV
Tropical Cyclone Workshop



#### Outline



- Basic definition/research
- Schematic diagrams/Interactions
- Operational products/forecasts
- Tools for tracking
- Exercise



### What are tropical waves?



- \* Perturbations / disturbances in the tropical easterlies that typically move from east to west.
- \* Often seen as inverted troughs of low pressure (inverted-V pattern in satellite imagery). Significant rain producers.
- \* Convection typically on the east side. Subsidence/clearing on the west side.
- \* Convection highly modulated by atmospheric moisture, upper level features, topography, etc.
- \* Develop into tropical cyclones.
- \* Around 60 tracked per year (little annual variability)



#### **Tropical Wave Research**



#### Tropical wave basics

Significance known as far back as 1930s (Piersig, Regula)

Patterns of rain, cloudiness, and windshifts received increased attention during WWII (Riehl, 1945)

With the growth of rawinsonde networks and better surface synoptic data, easterly waves were studied with 3 approaches:

Synoptic (Carlson, 1969)
Spectral analysis (Burpee, 1972)
Compositing (Reed et al. 1971 (Pacific), 1977, 1979 (Atlantic))

The composite from Reed (1977) still serves as the primary 'text book' description of AEWs.





### How/where they form





- Generated by an instability (baroclinic-barotropic) of the African easterly jet
- Jet arises as a result of reversed lower tropospheric temperature gradient over west-central north Africa due to extremely warm temperatures over the Sahara Desert and substantially cooler temperatures along the coast of Guinea.




















#### **Typical Synoptic Setup**






Tropical waves/African easterly waves move westward within the trade wind flow south of the Bermuda-Azores high



### Frequency by month






Tropical wave activity in terms of numbers is highest June-August



### Schematic diagrams





Classic inverted V-shape near the eastern Caribbean






## At what pressure level is the maximum amplitude?

- (a) 700 mb
- (b) 500 mb
- (c) 200 mb
- (d) surface



#### Schematic diagram






- Notice eastward slope will height
- Maximum amplitude is around 700 mb























#### Waves in Westerly Shear








#### Waves in Easterly Shear












## What happens when tropical waves interact with upper-level lows and troughs?


- (a) Convection decreases
- (b) Convection increases
- (c) A tropical cyclone forms








Although interaction with upper-level lows are unfavorable for tropical cyclogenesis, it can often induce heavy rainfall.




Sea-breeze convergence, upslope flows, and afternoon heating can cause convection to become chaotic and difficult to predict.





## Saharan Air Layer






Very dry/warm air in the low-mid levels of the atmosphere limits convection.



## Saharan Air Layer





Tool to help track the strength and position of the SAL






## **NHC Products**



### TAFB products: Surface Analysis





Analyze current positions every 6 h



## TAFB products: Tropical Weather Discussion



TROPICAL WEATHER DISCUSSION FOR NORTH AMERICA...CENTRAL AMERICA...GULF OF MEXICO...CARIBBEAN SEA...NORTHERN SECTIONS OF SOUTH AMERICA...AND ATLANTIC OCEAN TO THE AFRICAN COAST FROM THE EQUATOR TO 32N. THE FOLLOWING INFORMATION IS BASED ON SATELLITE IMAGERY...METEOROLOGICAL ANALYSIS...WEATHER OBSERVATIONS...AND RADAR.

BASED ON 1800 UTC SURFACE ANALYSIS AND SATELLITE IMAGERY THROUGH 2315 UTC.

#### ..TROPICAL WAVES...

A TROPICAL WAVE IS ALONG 32W S OF 17N MOVING W NEAR 13 KT. THIS WAVE COINCIDES WITH A DEEP LAYER MOISTURE MAXIMUM OBSERVED IN TOTAL PRECIPITABLE WATER IMAGERY. ISOLATED MODERATE CONVECTION IS FROM 13N-15N BETWEEN 30W-34W.

A TROPICAL WAVE IS ALONG 49W S OF 14N MOVING W NEAR 18 KT. THIS WAVE REMAINS ON THE LEADING EDGE OF DRY SAHARAN AIR AND DUST INHIBITING DEEP CONVECTION ALONG THE WAVE AXIS. HOWEVER... SCATTERED SHOWERS ARE FROM 10N-12N BETWEEN 46W-50W.

A TROPICAL WAVE IS ALONG 66W S OF 18N MOVING W NEAR 15 KT. THIS WAVE COINCIDES WITH A DEEP LAYER MOISTURE MAXIMUM THAT STRETCHES NWD INTO THE SW NORTH ATLC DUE TO AN UPPER LEVEL LOW CENTERED NEAR 23N67W. INTERACTIONS BETWEEN THE TROPICAL WAVE AND UPPER LEVEL LOW ARE PRODUCING SCATTERED SHOWERS AND ISOLATED MODERATE CONVECTION FROM 10N-19N BETWEEN 60W-70W.


A TROPICAL WAVE IS ALONG 82W S OF 21N MOVING W NEAR 15 KT. THIS WAVE LIES IN A BROAD AREA OF DEEP LAYER MOISTURE OBSERVED IN TOTAL PRECIPITABLE WATER IMAGERY. THIS WAVE CONTINUES MOVING BENEATH A DIFFLUENT PATTERN ALOFT ENHANCING SCATTERED MODERATE CONVECTION OVER THE SW CARIBBEAN S OF 12N AND ACROSS PANAMA AND COSTA RICA. ALSO SCATTERED MODERATE/ISOLATED STRONG CONVECTION IS OVER THE NW CARIBBEAN N OF 18N BETWEEN 80W-89W...INCLUDING NORTIONS OF WRN CUBA AND THE YUCATAN PENINSULA.

Discussion of tropical waves



#### TAFB products: graphical forecast 💸






Predict future positions: 24h, 48h, and 72h



#### **Tropical Weather Outlook**





Approximately 60 % of Atlantic tropical cyclones and 85 % of major hurricanes originate from tropical waves






# What is more important for tropical cyclogenesis?

- (a) the wave structure
- (b) the environment



#### Developing vs. Non-developing





Very little different in structure between developing and non-developing waves






## Tools to track tropical waves





## Satellite Imagery







#### Satellite Hovmoller Diagrams
















# **Surface Observations**








# Scatterometer






Note: 1) Times are GMT 2)Times correspond to 10N at right swath edge — time is right swath for overlapping swaths at 10N 3)Data buffer is 24 hrs for D80802 4)Black barbs indicate possible rain contamination

NOAA/NESDIS/Office of Research and Applications



# **Total Precipitable Water**








# **Wave Splitting**





The northern portion of the wave often fractures but the southern extension continues moving westward




# **Upper-Air Time Sections**



Dakar










# **Models**
















## Tools to track easterly waves: Tropical Wave Diagnostics









































































Trinidad upper air sounding v anomaly. The PV streamer passed Trinidad June 27 (yellow oval).

# EXERCISE


July 13




July 14




July 15




July 16




July 17




July 18




July 19




July 20




July 21




July 22




July 23




July 24




July 25






## **Tropical Wave 1**



## **Tropical Wave 2**



## **Tropical Wave 3**

